
# TWIST

### **GRADE 13 + \$40 LIST**



Gauze STT-007


Cotton STT-005



Sheer STT-019



Parchment STT-015



Burlap STT-002



Hemp STT-009



Spindel STT-020



Tobacco STT-022







## TWIST

**APPLICATIONS** 

Hospitality, Healthcare, Contract, Education, Residential

**GENERAL SPECIFICATIONS** 

Width

54"

Roll Size

30 Yards

Weight

30 Ounces per Linear Yard

Composition

Surface: 100% PVC - Phthalate free

Backing: 100% Brushed Polyester Knit

PERFORMANCE SPECIFICATIONS

Abrasion Resistance

250,000+ Double Rubs per ASTM D 4157-13 Wyzenbeek / CFFA-1A

Colorfastness to Light

300 Hours AATCC Test Method 16-2004, Option 3

Cold Crack

-20° F per Federal Standard No. 191A-TM5874 / CFFA-6

Crocking Resistance

Dry: 5.0 per AATCC-Method 8-2007 Wet: 5.0 per AATCC-Method 8-2007

Stain Resistant

with Resilience<sup>SR</sup> Protection

Bleach Cleanable

10% dilution

Sulfide Stain Resistant

FLAMMABILITY REQUIREMENTS \*

California Technical Bulletin No. 117-2013

NFPA 260 UFAC Class 1 FMVSS 302

#### **CLEANING INSTRUCTIONS**

Prompt cleaning is always recommended. Ordinary dirt and stains can be removed with mild soap and water. Rinse the cleaned area with clean water and dry with a lint-free cloth. Twist will resist, without serious discoloration, the repeated actions of normal dilutions of non-abrasive chlorine or ammonia-based cleaners.

### REDUCED ENVIRONMENTAL IMPACT

Phthalate Free

Does not contain F/R Chemicals

Does not contain Anti-Bacterial or Anti-Microbial Chemicals

Lead Free

BPA Free/TRIS Free/Formaldehyde Free

Does not contain Conflict Minerals

Resilience<sup>SR</sup>

Resilience<sup>SR</sup> offers Faux Leather and Vinyl Protection enhancing performance where it is needed the most:

**STAIN RESISTANCE:** With proper care, materials treated with **Resilience<sup>SR</sup>** can be easily cleaned and will resist stains, maintaining the desired surface appearance for years to come.

ABRASION RESISTANCE: Resilience<sup>SR</sup> provides additional wear properties and surface durability to any Vinyl or Faux Leather, thereby increasing the life of the material.

 $Resilience^{SR}$  is not visible, and does not affect the hand of the material.  $Resilience^{SR}$  is engineered to last, even after wear and repeated cleaning. Specify  $Resilience^{SR}$  for the most demanding commercial and upholstery applications.

PROP 65 WARNING: This product may contain a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

\* This term and any corresponding data refer to typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions. 05.17